

**SARS-Related Coronavirus 2 (SARS-CoV-2)
Lineage BA.2.75.5; Omicron Variant
Isolate: USA/NY-Wadsworth-22037154-01/2022
Culture Fluid (Heat Inactivated) (1 mL)**

Catalog Number:
0810671CFHI

PRODUCT DESCRIPTION:

SARS-Related Coronavirus 2 Lineage BA.2.75.5; Omicron Variant (Isolate: USA/NY-Wadsworth-22037154-01/2022) is an enveloped, positive-sense single-stranded RNA virus from the *Coronaviridae* family and the *Betacoronaviridae* genus.

SARS-CoV-2 isolate USA/NY-Wadsworth-22037154-01/2022 was collected in July 2022 in New York, USA. Under the nomenclature system introduced by GISAID (Global Initiative on Sharing All Influenza Data), SARS-CoV-2, isolate USA/NY-Wadsworth-22037154-01/2022 is assigned lineage B.2.75.5. The complete genome of USA/NY-Wadsworth-22037154-01/2022 has been sequenced (GISAID: EPI_ISL_14624909).

Each frozen aliquot contains 1 mL of heat inactivated viral culture fluid. The pre-inactivation titer was determined from an infectious aliquot.

Viral inactivation is verified after heat inactivation by the absence of viral growth in tissue culture-based infectivity assays.








INTENDED USE:

Heat inactivated viral culture fluids are sold as consumable testing materials. The suitability and performance characteristics should be determined by your laboratory for each intended usage.

These products are NOT intended for use in the manufacture or processing of injectable products subject to licensure under section 351 of the Public Health Service Act or for any other product intended for administration to humans.

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES.

PI0810671CFHI
Revision: 00
Effective Date: 03/14/2023

	Catalog Number		Temperature Limitation
	Batch Code		Expiration Date
	For Research Use Only		Biological Risk
	Manufacturer		

www.ZeptoMetrix.com

ZeptoMetrix LLC • 878 Main Street, Buffalo, NY 14202 USA • Tel (800) 274-5487

This product was manufactured in a facility which has a Quality Management System that is ISO 13485 certified.

BIOSAFETY:

Inactivated SARS-CoV-2 should be used within a Biological Safety Level 2 (BSL-2) facility in a biosafety cabinet (BSC). Please consult your institution's regulations regarding the use of this product. For a detailed discussion on biological safety see the current edition of Biosafety in Microbiological and Biomedical Laboratories (BMBL), published by the CDC.

PRECAUTIONS:

- Use Universal Precautions, this product is **potentially biohazardous**.
- Repetitive freezing and thawing is not recommended (aliquot material if necessary).
- To avoid cross-contamination, use separate pipette tips for all reagents.

RECOMMENDED STORAGE:

Heat inactivated viral culture fluids should be stored at -65°C or below.